

# Package ‘celaref’

October 16, 2024

**Title** Single-cell RNAseq cell cluster labelling by reference

**Version** 1.22.0

**Description** After the clustering step of a single-cell RNAseq experiment, this package aims to suggest labels/cell types for the clusters, on the basis of similarity to a reference dataset. It requires a table of read counts per cell per gene, and a list of the cells belonging to each of the clusters, (for both test and reference data).

**Depends** R (>= 3.5.0), SummarizedExperiment

**Imports** MAST, ggplot2, Matrix, dplyr, magrittr, stats, utils, rlang,  
BiocGenerics, S4Vectors, readr, tibble, DelayedArray

**Suggests** limma, parallel, knitr, rmarkdown, ExperimentHub, testthat

**biocViews** SingleCell

**VignetteBuilder** knitr

**License** GPL-3

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 6.1.1

**git\_url** <https://git.bioconductor.org/packages/celaref>

**git\_branch** RELEASE\_3\_19

**git\_last\_commit** 0f17788

**git\_last\_commit\_date** 2024-04-30

**Repository** Bioconductor 3.19

**Date/Publication** 2024-10-16

**Author** Sarah Williams [aut, cre]

**Maintainer** Sarah Williams <sarah.williams1@monash.edu>

## Contents

contrast_each_group_to_the_rest . . . . .	2
contrast_each_group_to_the_rest_for_norm_ma_with_limma . . . . .	4
contrast_the_group_to_the_rest . . . . .	6
contrast_the_group_to_the_rest_with_limma_for_microarray . . . . .	7
convert_se_gene_ids . . . . .	8
demo_cell_info_table . . . . .	9
demo_counts_matrix . . . . .	9
demo_gene_info_table . . . . .	10
demo_microarray_expr . . . . .	10
demo_microarray_sample_sheet . . . . .	11
demo_query_se . . . . .	11
demo_ref_se . . . . .	12
de_table.demo_query . . . . .	12
de_table.demo_ref . . . . .	13
find_within_match_differences . . . . .	13
get_counts_index . . . . .	14
get_inner_or_outer_ci . . . . .	14
get_limma_top_table_with_ci . . . . .	15
get_matched_stepped_mwtest_res_table . . . . .	16
get_ranking_and_test_results . . . . .	16
get_rankstat_table . . . . .	17
get_reciprocal_matches . . . . .	18
get_stepped_pvals_str . . . . .	19
get_the_up_genes_for_all_possible_groups . . . . .	20
get_the_up_genes_for_group . . . . .	21
get_vs_random_pval . . . . .	22
load_dataset_10Xdata . . . . .	23
load_se_from_tables . . . . .	24
make_ranking_violin_plot . . . . .	26
make_ref_similarity_names . . . . .	28
make_ref_similarity_names_for_group . . . . .	31
run_pair_test_stats . . . . .	32
subset_cells_by_group . . . . .	33
subset_se_cells_for_group_test . . . . .	34
trim_small_groups_and_low_expression_genes . . . . .	35
<b>Index</b>	<b>37</b>

---

contrast\_each\_group\_to\_the\_rest  
*contrast\_each\_group\_to\_the\_rest*

---

### Description

Produces a table of within-experiment differential expression results (for either query or reference experiment), where each group (cluster) is compared to the rest of the cells.

**Usage**

```
contrast_each_group_to_the_rest(dataset_se, dataset_name,
  groups2test = NA, num_cores = 1, n.group = Inf, n.other = n.group
  * 5)
```

**Arguments**

dataset_se	Summarised experiment object containing count data. Also requires 'ID' and 'group' to be set within the cell information (see colData())
dataset_name	Short, meaningful name for this dataset/experiment.
groups2test	An optional character vector specifying specific groups to check. By default (set to NA), all groups will be tested.
num_cores	Number of cores to use to run MAST jobs in parallel. Ignored if parallel package not available. Set to 1 to avoid parallelisation. Default = 1
n.group	How many cells to keep for each group in groupwise comparisons. Default = Inf
n.other	How many cells to keep from everything not in the group. Default = <b>n.group</b> * 5

**Details**

Note that this function is *slow*, because it runs the differential expression. It only needs to be run once per dataset though (unless group labels change). Having package **parallel** installed is highly recommended.

If this function runs out of memory, consider specifying *n.group* and *n.other* to run on a subset of cells (taken from each group, and proportionally from the rest for each test). Alternatively use *subset\_cells\_by\_group* to subset **dataset\_se** for each group independantly.

Both reference and query datasets should be processed with this function.

The tables produced by this function (usually named something like *de\_table.datasetname*) contain summarised results of MAST results. Each group is compared versus cells in the group, versus not in the group, (Ie. always a 2-group contrast, other groups information is ignored). As per MAST recommendations, the proportion of genes seen in each cell is included in the model.

**Value**

A tibble the within-experiment *de\_table* (differential expression table). This is a core summary of the individual experiment/dataset, which is used for the cross-dataset comparisons.

The table feilds won't necessarily match across datasets, as they include cell annotations information. Important columns (used in downstream analysis) are:

**ID** Gene identifier

**ci\_inner** Inner (conservative) 95% confidence interval of log2 fold-change.

**fdr** Multiple hypothesis corrected p-value (using BH/FDR method)

**group** Cells from this group were compared to everything else

**sig\_up** Significantly differentially expressed (fdr < 0.01), with a positive fold change?

**rank** Rank position (within group), ranked by CI inner, highest to lowest.

**rescaled\_rank** Rank scaled 0(top most overrepresented genes in group) - 1(top most not-present genes)

**dataset** Name of dataset/experiment

### Examples

```
de_table.demo_query <- contrast_each_group_to_the_rest(
  demo_query_se, "a_demo_query")
```

```
de_table.demo_ref <- contrast_each_group_to_the_rest(
  demo_ref_se, "a_demo_ref", num_cores=2)
```

---

```
contrast_each_group_to_the_rest_for_norm_ma_with_limma
  contrast_each_group_to_the_rest_for_norm_ma_with_limma
```

---

### Description

This function loads and processes microarray data (from purified cell populations) that can be used as a reference.

### Usage

```
contrast_each_group_to_the_rest_for_norm_ma_with_limma(norm_expression_table,
  sample_sheet_table, dataset_name, sample_name, group_name = "group",
  groups2test = NA, extra_factor_name = NA, pval_threshold = 0.01)
```

### Arguments

<code>norm_expression_table</code>	A logged, normalised expression table. Any filtering (removal of low-expression probes/genes)
<code>sample_sheet_table</code>	Tab-separated text file of sample information. Columns must have names. Sample/microarray ids should be listed under <b>sample_name</b> column. The cell-type (or 'group') of each sample should be listed under a column <b>group_name</b> .
<code>dataset_name</code>	Short, meaningful name for this dataset/experiment.
<code>sample_name</code>	Name of <b>sample_sheet_table</b> with sample ID
<code>group_name</code>	Name of <b>sample_sheet_table</b> with group/cell-type. Default = "group"
<code>groups2test</code>	An optional character vector specifying specific groups to check. By default (set to NA), all groups will be tested.

`extra_factor_name`  
 Optionally, an extra cross-group factor (as column name in **sample\_sheet\_table**) to include in the model used by limma. E.g. An individual/mouse id. Refer limma docs. Default = NA

`pval_threshold` For reporting only, a p-value threshold. Default = 0.01

## Details

Sometimes there are microarray studies measuring purified cell populations that would be measured together in a single-cell sequencing experiment. E.g. comparing PBMC scRNA to FACs-sorted blood cell populations. This function will process microarray data with limma and format it for comparisons.

The microarray data used should consist of purified cell types from /emphone single study/experiment (due to batch effects). Ideally just those cell-types expected in the scRNAseq, but the method appears relatively robust to a few extra cell types.

Note that unlike the single-cell workflow there are no summarisedExperiment objects (they're not really comparable) - this function reads data and generates a table of within-dataset differential expression contrasts in one step. Ie. equivalent to the output of [contrast\\_each\\_group\\_to\\_the\\_rest](#).

Also, note that while downstream functions can accept the microarray-derived data as query datasets, its not really intended and assumptions might not hold (Generally, its known what got loaded onto a microarray!)

The (otherwise optional) 'limma' package must be installed to use this function.

## Value

A tibble, the within-experiment `de_table` (differential expression table)

## See Also

[contrast\\_each\\_group\\_to\\_the\\_rest](#) is the function that makes comparable output on the scRNAseq data (`dataset_se` objects).

**Limma** Limma package for differential expression.

Other Data loading functions: [load\\_dataset\\_10Xdata](#), [load\\_se\\_from\\_tables](#)

## Examples

```
contrast_each_group_to_the_rest_for_norm_ma_with_limma(
  norm_expression_table=demo_microarray_expr,
  sample_sheet_table=demo_microarray_sample_sheet,
  dataset_name="DemoSimMicroarrayRef",
  sample_name="cell_sample", group_name="group")

## Not run:
contrast_each_group_to_the_rest_for_norm_ma_with_limma(
  norm_expression_table, sample_sheet_table=samples_table,
  dataset_name="Watkins2009PBMCs", extra_factor_name='description')

## End(Not run)
```

---

```
contrast_the_group_to_the_rest
      contrast_the_group_to_the_rest
```

---

### Description

Internal function to calculate differential expression within an experiment between a specified group and cells not in that group.

### Usage

```
contrast_the_group_to_the_rest(dataset_se, the_group,
  pvalue_threshold = 0.01, n.group = Inf, n.other = n.group * 5)
```

### Arguments

dataset_se	Datast summarisedExperiment object.
the_group	group to test
pvalue_threshold	Default = 0.01
n.group	How many cells to keep for each group in groupwise comparisons. Default = Inf
n.other	How many cells to keep from everything not in the group. Default = <b>n.group</b> * 5

### Details

This function should only be called by `contrast_each_group_to_the_rest` (which can be passed a single group name if desired). Else 'pofgenes' will not be defined.

MAST is supplied with  $\log_2(\text{counts} + 1.1)$ , and `zlm` called with model `'~ TvsR + pofgenes'`. The p-values reported are from the hurdle model. FDR is with default `fdr/BH` method.

### Value

A tibble, the within-experiment `de_table` (differential expression table), for the group specified.

### See Also

[contrast\\_each\\_group\\_to\\_the\\_rest](#)

---

```
contrast_the_group_to_the_rest_with_limma_for_microarray  
  contrast_the_group_to_the_rest_with_limma_for_microarray
```

---

## Description

Private function used by `contrast_each_group_to_the_rest_for_norm_ma_with_limma`

## Usage

```
contrast_the_group_to_the_rest_with_limma_for_microarray(norm_expression_table,  
  sample_sheet_table, the_group, sample_name, extra_factor_name = NA,  
  pval_threshold = 0.01)
```

## Arguments

`norm_expression_table`  
A logged, normalised expression table. Any filtering (removal of low-expression probes/genes)

`sample_sheet_table`  
Tab-separated text file of sample information. Columns must have names. Sample/microarray ids should be listed under **sample\_name** column. The cell-type (or 'group') of each sample should be listed under a column **group\_name**.

`the_group` Which query group is being tested.

`sample_name` Name of **sample\_sheet\_table** with sample ID

`extra_factor_name`  
Optionally, an extra cross-group factor (as column name in **sample\_sheet\_table**) to include in the model used by limma. E.g. An individual/mouse id. Refer limma docs. Default = NA

`pval_threshold` For reporting only, a p-value threshold. Default = 0.01

## Value

A tibble, the within-experiment `de_table` (differential expression table), for the group specified.

## See Also

[contrast\\_each\\_group\\_to\\_the\\_rest\\_for\\_norm\\_ma\\_with\\_limma](#) public calling function

[Limma](#) Limma package for differential expression.

---

convert\_se\_gene\_ids    *convert\_se\_gene\_ids*

---

### Description

Change the gene IDs in in the supplied `dataset_se` object to some other id already present in the gene info (as seen with `rowData()`)

### Usage

```
convert_se_gene_ids(dataset_se, new_id, eval_col, find_max = TRUE)
```

### Arguments

<code>dataset_se</code>	Summarised experiment object containing count data. Also requires 'ID' and 'group' to be set within the cell information (see <code>colData()</code> )
<code>new_id</code>	A column within the feature information (view <code>colData(dataset_se)</code> ) of the <b>dataset_se</b> , which will become the new ID column. Non-uniqueness of this column is handled gracefully! Any <i>NAs</i> will be dropped.
<code>eval_col</code>	Which column to use to break ties of duplicate <b>new_id</b> . Must be a column within the feature information (view <code>colData(dataset_se)</code> ) of the <b>dataset_se</b> . Total reads per gene feature is a good choice.
<code>find_max</code>	If false, this will choose the minimal <b>eval_col</b> instead of max. Default = TRUE

### Value

A modified `dataset_se` - ID will now be **new\_id**, and unique. It will have fewer genes if old ID to new ID was not a 1:1 mapping. The selected genes will be according to the eval col max (or min). *should* pick the alphabetical first on ties, but could change.

### See Also

[SummarizedExperiment](#) For general doco on the SummarizedExperiment objects.

[load\\_se\\_from\\_files](#) For reading data from flat files (not 10X cellRanger output)

### Examples

```
# The demo dataset doesn't have other names, so make some up
# (don't do this)
dataset_se <- demo_ref_se
rowData(dataset_se)$dummyname <- toupper(rowData(dataset_se)$ID)

# If not already present, define a column to evaluate,
# typically total reads/gene.
rowData(dataset_se)$total_count <- rowSums(assay(dataset_se))

dataset_se <- convert_se_gene_ids(dataset_se, new_id='dummyname', eval_col='total_count')
```



---

demo\_cell\_info\_table *Demo cell info table*

---

**Description**

Sample sheet table listing each cell, its assigned cluster/group, and any other information that might be interesting (replicate, individual e.t.c)

**Usage**

demo\_cell\_info\_table

**Format**

An object of class `data.frame` with 515 rows and 4 columns.

**Value**

An example cell info table

---

demo\_counts\_matrix *Demo count matrix*

---

**Description**

Counts matrix for a small, demo example datasets. Raw counts of reads per gene (row) per cell (column).

**Usage**

demo\_counts\_matrix

**Format**

An object of class `matrix` with 200 rows and 514 columns.

**Value**

An example counts matrix.

---

demo\_gene\_info\_table *Demo gene info table*

---

**Description**

Extra table of gene-level information for the demo example dataset. Can contain anything as long as there's a unique gene id.

**Usage**

demo\_gene\_info\_table

**Format**

An object of class `data.frame` with 200 rows and 2 columns.

**Value**

An example table of genes.

---

demo\_microarray\_expr *Demo microarray expression table*

---

**Description**

Microarray-style expression table for the demo example dataset. Rows are genes, columns are samples, as per counts matrix.

**Usage**

demo\_microarray\_expr

**Format**

An object of class `matrix` with 200 rows and 20 columns.

**Value**

An example table of (fake) microarray data.

---

demo\_microarray\_sample\_sheet

*Demo microarray sample sheet table*

---

**Description**

Microarray sample sheet table for the demo example dataset. Contains array identifiers, their group and any other information that could be useful.

**Usage**

demo\_microarray\_sample\_sheet

**Format**

An object of class grouped\_df (inherits from tbl\_df, tbl, data.frame) with 20 rows and 2 columns.

**Value**

An example microarray sample sheet

---

demo\_query\_se

*Demo query se (summarizedExperiment)*

---

**Description**

A summarisedExperiment object loaded from demo info tables, for a query set.

**Usage**

demo\_query\_se

**Format**

An object of class SummarizedExperiment with 200 rows and 485 columns.

**Value**

An example summarised experiment (for demo query dataset)

---

demo_ref_se	<i>Demo reference se (summarizedExperiment)</i>
-------------	---

---

**Description**

A summarisedExperiment object loaded from demo info tables, for a reference set.

**Usage**

```
demo_ref_se
```

**Format**

An object of class SummarizedExperiment with 200 rows and 515 columns.

**Value**

An example summarised experiment (for demo reference dataset)

---

de_table.demo_query	<i>Demo query de table</i>
---------------------	----------------------------

---

**Description**

Small example dataset that is the output of [contrast\\_each\\_group\\_to\\_the\\_rest](#). It contains the results of each group compared to the rest of the sample (ie within sample differential expression)

**Usage**

```
de_table.demo_query
```

**Format**

An object of class data.frame with 800 rows and 13 columns.

**Value**

An example de\_table from [contrast\\_each\\_group\\_to\\_the\\_rest](#) (for demo query dataset)

---

de_table.demo_ref	<i>Demo ref de table</i>
-------------------	--------------------------

---

**Description**

Small example dataset that is the output of [contrast\\_each\\_group\\_to\\_the\\_rest](#). It contains the results of each group compared to the rest of the sample (ie within sample differential expression)

**Usage**

```
de_table.demo_ref
```

**Format**

An object of class `data.frame` with 800 rows and 13 columns.

**Value**

An example `de_table` from [contrast\\_each\\_group\\_to\\_the\\_rest](#) (for demo ref dataset)

---

find_within_match_differences	<i>find_within_match_differences</i>
-------------------------------	--------------------------------------

---

**Description**

Internal function to find if there are significant difference between the distributions, when there are multiple match groups.

**Usage**

```
find_within_match_differences(de_table.ref.marked, matches, the_test_group,
  the_test_dataset, the_ref_dataset, the_pval)
```

**Arguments**

de_table.ref.marked	see <a href="#">make_ref_similarity_names_for_group</a>
matches	see <a href="#">make_ref_similarity_names_for_group</a>
the_test_group	see <a href="#">make_ref_similarity_names_for_group</a>
the_test_dataset	see <a href="#">make_ref_similarity_names_for_group</a>
the_ref_dataset	see <a href="#">make_ref_similarity_names_for_group</a>
the_pval	see <a href="#">make_ref_similarity_names_for_group</a>

**Details**

For use by `make_ref_similarity_names_for_group`

**Value**

String of within match differences

**See Also**

[make\\_ref\\_similarity\\_names\\_for\\_group](#)

---

`get_counts_index`      *get\_counts\_index*

---

**Description**

`get_counts_index` is an internal utility function to find out where the counts are (if anywhere.). Stops if there's no assay called 'counts', (unless there is only a single unnamed assay).

**Usage**

```
get_counts_index(n_assays, assay_names)
```

**Arguments**

<code>n_assays</code>	How many assays are there? ie: <code>length(assays(dataset_se))</code>
<code>assay_names</code>	What are the assays called? ie: <code>names(assays(dataset_se))</code>

**Value**

The index of an assay in assays called 'counts', or, if there's just the one unnamed assay - happily assume that that is counts.

---

`get_inner_or_outer_ci`    *get\_inner\_or\_outer\_ci*

---

**Description**

Given a fold-change, and high and low confidence interval (where lower < higher), pick the inner-most/most conservative one.

**Usage**

```
get_inner_or_outer_ci(fc, ci.hi, ci.lo, get_inner = TRUE)
```

**Arguments**

fc	Fold-change
ci.hi	Higher fold-change CI (numerically)
ci.lo	smaller fold-change CI (numerically)
get_inner	If TRUE, get the more conservative inner CI, else the bigger outside one.

**Value**

inner or outer CI from **ci.hi** or **ci.low**

---

get\_limma\_top\_table\_with\_ci  
*get\_limma\_top\_table\_with\_ci*

---

**Description**

Internal function that wraps limma topTable output but also adds upper and lower confidence intervals to the logFC. Calculated according to <https://support.bioconductor.org/p/36108/>

**Usage**

```
get_limma_top_table_with_ci(fit2, the_coef, ci = 0.95)
```

**Arguments**

fit2	The fit2 object after calling eBayes as per standard limma workflow. Ie object that topTable gets called on.
the_coef	Coeffient. As passed to topTable.
ci	Confidence interval. Number between 0 and 1, default 0.95 (95%)

**Value**

Output of topTable, but with the (95 for the logFC).

**See Also**

[contrast\\_the\\_group\\_to\\_the\\_rest\\_with\\_limma\\_for\\_microarray](#) Calling function.

get\_matched\_stepped\_mwtest\_res\_table  
*get\_matched\_stepped\_mwtest\_res\_table*

---

**Description**

Internal function to grab a table of the matched group(s).

**Usage**

```
get_matched_stepped_mwtest_res_table(mwtest_res_table.this, the_pval)
```

**Arguments**

mwtest_res_table.this	Combined output of <a href="#">get_ranking_and_test_results</a>
the_pval	Pvalue threshold

**Details**

For use by `make_ref_similarity_names_for_group`

**Value**

Stepped pvalues string

**See Also**

[make\\_ref\\_similarity\\_names\\_for\\_group](#)

---

get\_ranking\_and\_test\_results  
*get\_ranking\_and\_test\_results*

---

**Description**

Internal function to get reference group similarity contrasts for an individual query group.

**Usage**

```
get_ranking_and_test_results(de_table.ref.marked, the_test_group,  
the_test_dataset, the_ref_dataset, num_steps, pval = 0.01)
```



**Arguments**

de\_table.ref.marked see [make\\_ref\\_similarity\\_names\\_using\\_marked](#)

the\_test\_group The group to calculate the stats on.

the\_test\_dataset see [make\\_ref\\_similarity\\_names\\_using\\_marked](#)

the\_ref\_dataset see [make\\_ref\\_similarity\\_names\\_using\\_marked](#)

num\_steps see [make\\_ref\\_similarity\\_names\\_using\\_marked](#)

pval see [make\\_ref\\_similarity\\_names\\_using\\_marked](#)

**Details**

For use by [make\\_ref\\_similarity\\_names\\_using\\_marked](#), see that function for parameter details. This function just runs this for a single query group **the\_test\_group**

**Value**

Table of similarity contrast results/assigned names e.t.c for a single group. Used internally for populating mwtest\_res\_table tables.

**See Also**

[make\\_ref\\_similarity\\_names\\_using\\_marked](#) which calls this.

---

get\_rankstat\_table     *get\_rankstat\_table*

---

**Description**

Summarise the comparison of the specified query group against in the comparison in **de\_table.ref.marked** - number of 'top' genes and their median rank in each of the reference groups, with reference group rankings.

**Usage**

```
get_rankstat_table(de_table.ref.marked, the_test_group)
```

**Arguments**

de\_table.ref.marked The output of [get\\_the\\_up\\_genes\\_for\\_all\\_possible\\_groups](#) for the contrast of interest.

the\_test\_group Name of query group to test

**Value**

A tibble of query group name (test\_group), number of 'top' genes (n), reference dataset group (group) with its ranking (grouprank) and the median (rescaled 0..1) ranking of 'top' genes (median\_rank).

**See Also**

[get\\_the\\_up\\_genes\\_for\\_all\\_possible\\_groups](#) To prepare the **de\_table.ref.marked** input.

**Examples**

```
# Make input
# de_table.demo_query <- contrast_each_group_to_the_rest(demo_query_se, "demo_query")
# de_table.demo_ref <- contrast_each_group_to_the_rest(demo_ref_se, "demo_ref")

de_table.marked.query_vs_ref <- get_the_up_genes_for_all_possible_groups(
  de_table.demo_query,
  de_table.demo_ref)

get_rankstat_table(de_table.marked.query_vs_ref, "Group3")
```

---

get\_reciprocal\_matches

*get\_reciprocal\_matches*

---

**Description**

Internal function to run a binomial test of median test rank > 0.5 (random).

**Usage**

```
get_reciprocal_matches(mwtest_res_table.recip, de_table.recip.marked,
  the_pval)
```

**Arguments**

```
mwtest_res_table.recip      Combined output of get\_ranking\_and\_test\_results for reciprocal test - ref
                             vs query.
de_table.recip.marked      Reciprocal ref vs query de_table.ref.marked
the_pval                    See make\_ref\_similarity\_names\_using\_marked
```

**Details**

For use by [make\\_ref\\_similarity\\_names\\_using\\_marked](#)

**Value**

List of table of reciprocal matches tested from reference to query.

**See Also**

[make\\_ref\\_similarity\\_names\\_using\\_marked](#)

---

*get\_stepped\_pvals\_str* *get\_stepped\_pvals\_str*

---

**Description**

Internal function to construct the string of stepped pvalues reported by [make\\_ref\\_similarity\\_names\\_using\\_marked](#)

**Usage**

```
get_stepped_pvals_str(mwtest_res_table.this)
```

**Arguments**

`mwtest_res_table.this`  
Combined output of [get\\_ranking\\_and\\_test\\_results](#)

**Details**

For use by [make\\_ref\\_similarity\\_names\\_for\\_group](#)

**Value**

Stepped pvalues string

**See Also**

[make\\_ref\\_similarity\\_names\\_for\\_group](#)

---

```
get_the_up_genes_for_all_possible_groups
      get_the_up_genes_for_all_possible_groups
```

---

### Description

For the most overrepresented genes of each group in the test dataset, get their rankings in all the groups of the reference dataset.

### Usage

```
get_the_up_genes_for_all_possible_groups(de_table.test, de_table.ref,
      rankmetric = "TOP100_LOWER_CI_GTE1", n = 100)
```

### Arguments

<code>de_table.test</code>	A differential expression table of the query experiment, as generated from <a href="#">contrast_each_group_to_the</a>
<code>de_table.ref</code>	A differential expression table of the reference dataset, as generated from <a href="#">contrast_each_group_to_the</a>
<code>rankmetric</code>	Specify ranking method used to pick the 'top' genes. The default 'TOP100_LOWER_CI_GTE1' picks genes from the top 100 overrepresented genes (ranked by inner 95 work best for distinct cell types (e.g. tissue sample.). 'TOP100_SIG' again picks from the top 100 ranked genes, but requires only statistical significance, 95 clusters (e.g. PBMCs).
<code>n</code>	For tweaking maximum returned genes from different ranking methods. Will change the p-values! Suggest leaving as default unless you're keen.

### Details

This is effectively a subset of the reference data, 'marked' with the 'top' genes that represent the groups in the query data. The distribution of the *rescaled ranks* of these marked genes in each reference data group indicate how similar they are to the query group.

This function is simply a convenient wrapper for [get\\_the\\_up\\_genes\\_for\\_group](#) that merges output for each group in the query into one table.

### Value

*de\_table.marked* This will almost be a subset of **de\_table.ref**, with an added column *test\_group* set to the query groups, and *test\_dataset* set to **test\_dataset\_name**.

If nothing passes the rankmetric criteria, a warning is thrown and NA is returned. (This can be a genuine inability to pick out the representative 'up' genes, or due to some problem in the analysis)

### See Also

[get\\_the\\_up\\_genes\\_for\\_group](#) Function for testing a single group.

**Examples**

```
de_table.marked.query_vs_ref <- get_the_up_genes_for_all_possible_groups(
  de_table.test=de_table.demo_query ,
  de_table.ref=de_table.demo_ref )
```

---

```
get_the_up_genes_for_group
      get_the_up_genes_for_group
```

---

**Description**

For the most overrepresented genes of the specified group in the test dataset, get their rankings in all the groups of the reference dataset.

**Usage**

```
get_the_up_genes_for_group(the_group, de_table.test, de_table.ref,
  rankmetric = "TOP100_LOWER_CI_GTE1", n = 100)
```

**Arguments**

the_group	The group (from the test/query experiment) to examine.
de_table.test	A differential expression table of the query experiment, as generated from <a href="#">contrast_each_group_to_the</a>
de_table.ref	A differential expression table of the reference dataset, as generated from <a href="#">contrast_each_group_to_the</a>
rankmetric	Specify ranking method used to pick the 'top' genes. The default 'TOP100_LOWER_CI_GTE1' picks genes from the top 100 overrepresented genes (ranked by inner 95 work best for distinct cell types (e.g. tissue sample.). 'TOP100_SIG' again picks from the top 100 ranked genes, but requires only statistical significance, 95 clusters (e.g. PBMCs).
n	For tweaking maximum returned genes from different ranking methods. Will change the p-values! Suggest leaving as default unless you're keen.

**Details**

This is effectively a subset of the reference data, 'marked' with the 'top' genes that represent the group of interest in the query data. The distribution of the *rescaled ranks* of these marked genes in each reference data group indicate how similar they are to the query group.

**Value**

*de\_table.marked* This will be a subset of **de\_table.ref**, with an added column *test\_group* set to **the\_group**. If nothing passes the rankmetric criteria, NA.

**See Also**

[contrast\\_each\\_group\\_to\\_the\\_rest](#) For preparing the de\_table.\* tables. [get\\_the\\_up\\_genes\\_for\\_all\\_possible\\_group](#)  
For running all query groups at once.

**Examples**

```
de_table.marked.Group3vsRef <- get_the_up_genes_for_group(  
  the_group="Group3",  
  de_table.test=de_table.demo_query,  
  de_table.ref=de_table.demo_ref)
```

---

get\_vs\_random\_pval      *get\_vs\_random\_pval*

---

**Description**

Internal function to run a binomial test of median test rank > 0.5 (random).

**Usage**

```
get_vs_random_pval(de_table.ref.marked, the_group, the_test_group)
```

**Arguments**

de\_table.ref.marked  
                          see make\_ref\_similarity\_names\_for\_group  
the\_group           Reference group name  
the\_test\_group    Test group name #'

**Details**

For use by make\_ref\_similarity\_names\_for\_group

**Value**

Pvalue result of a binomial test of each 'top gene' being greater than the theoretical random median rank of 0.5 (halfway).

**See Also**

[make\\_ref\\_similarity\\_names\\_for\\_group](#)

---

load\_dataset\_10Xdata    *load\_dataset\_10Xdata*

---

### Description

Convenience function to create a SummarizedExperiment object (`dataset_se`) from a the output of 10X cell ranger pipeline run.

### Usage

```
load_dataset_10Xdata(dataset_path, dataset_genome, clustering_set,
  gene_id_cols_10X = c("ensembl_ID", "GeneSymbol"),
  id_to_use = gene_id_cols_10X[1])
```

### Arguments

<code>dataset_path</code>	Path to the directory of 10X data, as generated by the cellRanger pipeline (versions 2.1.0 and 2.0.1). The directory should have subdirecotires <i>analysis</i> , <i>filtered_gene_bc_matrices</i> and <i>raw_gene_bc_matrices</i> (only the first 2 are read).
<code>dataset_genome</code>	The genome that the reads were aligned against, e.g. GRCh38. Check for this as a directory name under the <i>filtered_gene_bc_matrices</i> subdirectory if unsure.
<code>clustering_set</code>	The 10X cellRanger pipeline produces several different cluster definitions per dataset. Specify which one to use e.g. <code>kmeans_10_clusters</code> Find them as directory names under <i>analysis/clustering/</i>
<code>gene_id_cols_10X</code>	Vector of the names of the columns in the gene description file ( <i>filtered_gene_bc_matrices/GRCh38/genes</i> ). The first element of this will become the ID. Default = <code>c("ensembl_ID", "GeneSymbol")</code>
<code>id_to_use</code>	Column from <b>gene_id_cols_10X</b> that defines the gene identifier to use as 'ID' in the returned SummarisedExperiment object. Many-to-one relationships between the assumed unique first element of <b>gene_id_cols_10X</b> and <b>id_to_use</b> will be handled gracefully by <code>convert_se_gene_ids</code> . Defaults to first element of <b>gene_id_cols_10X</b>

### Details

This function makes a SummarizedExperiment object in a form that should work for `celaref` functions. Specifically, that means it will have an 'ID' feild for genes (view with `rowData(dataset_se)`), and both 'cell\_sample' and 'group' feild for cells (view with `colData(dataset_se)`). See parameters for detail. Additionally, the counts will be an integer matrix (not a sparse matrix), and the *group* feild (but not *cell\_sample* or *ID*) will be a factor.

The clustering information can be read from whichever cluster is specified, usually there will be several choices.

This fuction is designed to work with output of version 2.0.1 of the cellRanger pipeline, may not work with others (will not work for 1.x).

**Value**

A SummarisedExperiment object containing the count data, cell info and gene info.

**See Also**

[SummarizedExperiment](#) For general doco on the SummarizedExperiment objects.

[convert\\_se\\_gene\\_ids](#) describes method for converting IDs.

Other Data loading functions: [contrast\\_each\\_group\\_to\\_the\\_rest\\_for\\_norm\\_ma\\_with\\_limma](#), [load\\_se\\_from\\_tables](#)

**Examples**

```
example_10X_dir <- system.file("extdata", "sim_cr_dataset", package = "celaref")
dataset_se <- load_dataset_10Xdata(example_10X_dir, dataset_genome="GRCh38",
  clustering_set="kmeans_4_clusters", gene_id_cols_10X=c("gene"))

## Not run:
dataset_se <- load_dataset_10Xdata('~path/to/data/10X_pbmc4k',
  dataset_genome="GRCh38",
  clustering_set="kmeans_7_clusters")

## End(Not run)
```

---

load\_se\_from\_tables    *load\_se\_from\_tables*

---

**Description**

Create a SummarizedExperiment object (dataset\_se) from a count matrix, cell information and optionally gene information.

load\_se\_from\_files is a wrapper for load\_se\_from\_tables that will read in tables from specified files.

**Usage**

```
load_se_from_tables(counts_matrix, cell_info_table, gene_info_table = NA,
  group_col_name = "group", cell_col_name = NA)
```

```
load_se_from_files(counts_file, cell_info_file, gene_info_file = NA,
  group_col_name = "group", cell_col_name = NA)
```



## Arguments

- counts\_matrix** A tab-separated matrix of read counts for each gene (row) and each cell (column). Columns and rows should be named.
- cell\_info\_table** Table of cell information. If there is a column labelled *cell\_sample*, that will be used as the unique cell identifiers. If not, the first column is assumed to be cell identifiers, and will be copied to a new feild labelled *cell\_sample*. Similarly - the clusters of these cells should be listed in one column - which can be called 'group' (case-sensitive) or specified with **group\_col\_name**. *Minimal data format: <cell\_sample> <group>*
- gene\_info\_table** Optional table of gene information. If there is a column labelled *ID*, that will be used as the gene identifiers (they must be unique!). If not, the first column is assumed to be a gene identifier, and will be copied to a new feild labelled *ID*. Must match all rownames in **counts\_matrix**. If omitted, ID will be generated from the rownames of counts\_matrix. Default=NA
- group\_col\_name** Name of the column in **cell\_info\_table** containing the cluster/group that each cell belongs to. Case-sensitive. Default='group'
- cell\_col\_name** Name of the column in **cell\_info\_table** containing a cell id. Ignored if *cell\_sample* column is already present. If omitted, (and no *cell\_sample* column) will use first column. Case-sensitive. Default=NA
- counts\_file** A tab-separated file of a matrix of read counts. As per **counts\_matrix**. First column should be gene ID, and top row cell ids.
- cell\_info\_file** Tab-separated text file of cell information, as per **cell\_info\_table**. Columns must have names.
- gene\_info\_file** Optional tab-separated text file of gene information, as per **gene\_info\_file**. Columns must have names. Default=NA

## Details

This function makes a SummarizedExperiment object in a form that should work for celaref functions. Specifically, that means it will have an 'ID' feild for genes (view with `rowData(dataset_se)`), and both 'cell\_sample' and 'group' feild for cells (view with `colData(dataset_se)`). See parameters for detail. Additionally, the counts will be an integer matrix (not a sparse matrix), and the *group* feild (but not *cell\_sample* or *ID*) will be a factor.

Note that data will be subsetted to cells present in both the counts matrix and cell info, this is handy for loading subsets of cells. However, if **gene\_info\_file** is defined, all genes must match exactly.

The `load_se_from_files` form of this function will run the same checks, but will read everything from files in one go. The `load_se_from_tables` form is perhaps more useful when the annotations need to be modified (e.g. programmatically adding a different gene identifier, renaming groups, removing unwanted samples).

Note that the SummarizedExperiment object can also be created without using these functions, it just needs the *cell\_sample*, *ID* and *group* feilds as described above. Since sometimes it might be easier to add these to an existing *SummarizedExperiment* from upstream analyses.

**Value**

A SummarisedExperiment object containing the count data, cell info and gene info.

**Functions**

- `load_se_from_files`: To read from files

**See Also**

**SummarizedExperiment** For general doco on the SummarizedExperiment objects.

Other Data loading functions: [contrast\\_each\\_group\\_to\\_the\\_rest\\_for\\_norm\\_ma\\_with\\_limma](#), [load\\_dataset\\_10Xdata](#)

**Examples**

```
# From data frames (or a matrix for counts) :
demo_se <- load_se_from_tables(counts_matrix=demo_counts_matrix,
                              cell_info_table=demo_cell_info_table)
demo_se <- load_se_from_tables(counts_matrix=demo_counts_matrix,
                              cell_info_table=demo_cell_info_table,
                              gene_info_table=demo_gene_info_table)

# Or from data files :
counts_filepath <- system.file("extdata", "sim_query_counts.tab", package = "celaref")
cell_info_filepath <- system.file("extdata", "sim_query_cell_info.tab", package = "celaref")
gene_info_filepath <- system.file("extdata", "sim_query_gene_info.tab", package = "celaref")

demo_se <- load_se_from_files(counts_file=counts_filepath, cell_info_file=cell_info_filepath)
demo_se <- load_se_from_files(counts_file=counts_filepath, cell_info_file=cell_info_filepath,
                              gene_info_file=gene_info_filepath )
```

---

`make_ranking_violin_plot`

*make\_ranking\_violin\_plot*

---

**Description**

Plot a panel of violin plots showing the distribution of the 'top' genes of each of query group, across the reference dataset.

**Usage**

```
make_ranking_violin_plot(de_table.marked = NA, de_table.test = NA,
                        de_table.ref = NA, log10trans = FALSE, ...)
```



```
# Is equivalent to this:
de_table.marked.query_vs_ref <-
  get_the_up_genes_for_all_possible_groups( de_table.test=de_table.demo_query,
                                           de_table.ref=de_table.demo_ref)
make_ranking_violin_plot(de_table.marked.query_vs_ref)
```

---

```
make_ref_similarity_names
  make_ref_similarity_names
```

---

### Description

Construct some sensible labels or the groups/clusters in the query dataset, based on similarity the reference dataset.

This is a more low level/customisable version of `make_ref_similarity_names`, (would usually use that instead). Suitable for rare cases to reuse an existing `de_table.ref.marked` object. Or use a `de_table.ref.marked` table with more than one dataset present (discouraged). Or to skip the reciprocal comparison step.

### Usage

```
make_ref_similarity_names(de_table.test, de_table.ref, pval = 0.01,
  num_steps = 5, rankmetric = "TOP100_LOWER_CI_GTE1", n = 100)
```

```
make_ref_similarity_names_using_marked(de_table.ref.marked,
  de_table.recip.marked = NA, the_test_dataset = NA,
  the_ref_dataset = NA, pval = 0.01, num_steps = 5)
```

### Arguments

<code>de_table.test</code>	A differential expression table of the query experiment, as generated from <a href="#">contrast_each_group_to_the</a>
<code>de_table.ref</code>	A differential expression table of the reference dataset, as generated from <a href="#">contrast_each_group_to_the</a>
<code>pval</code>	Differences between the rescaled ranking distribution of 'top' genes on different reference groups are tested with a Mann-Whitney U test. If they are <i>significantly different</i> , only the top group(s) are reported. It isn't a simple cutoff threshold as it can change the number of similar groups reported. ie. A more stringent <b>pval</b> is more likely to decide that groups are similar - which would result in multiple group reporting, or no similarity at all. Unlikely that this parameter will ever need to change. Default = 0.01.
<code>num_steps</code>	After ranking reference groups according to median 'top' gene ranking, how many adjacent pairs to test for differences. Set to 1 to only compare each group to the next, or NA to perform an all-vs-all comparison. Setting too low may means it is possible to miss groups with some similarity to the reported matches ( <i>similar_non_match</i> column)). Too high (or NA) with a large number of reference groups could be slow. Default = 5.

rankmetric	Specify ranking method used to pick the 'top' genes. The default 'TOP100_LOWER_CI_GTE1' picks genes from the top 100 overrepresented genes (ranked by inner 95 work best for distinct cell types (e.g. tissue sample.). 'TOP100_SIG' again picks from the top 100 ranked genes, but requires only statistical significance, 95 clusters (e.g. PBMCs).
n	For tweaking maximum returned genes from different ranking methods.
de_table.ref.marked	The output of <code>get_the_up_genes_for_all_possible_groups</code> for the contrast of interest.
de_table.recip.marked	Optional. The (reciprocal) output of <code>get_the_up_genes_for_all_possible_groups</code> with the test and reference datasets swapped. If omitted a reciprocal test will not be done. Default = NA.
the_test_dataset	Optional. A short meaningful name for the experiment. (Should match <i>test_dataset</i> column in <b>de_table.marked</b> ). Only needed in a table of more than one dataset. Default = NA.
the_ref_dataset	Optional. A short meaningful name for the experiment. (Should match <i>dataset</i> column in <b>de_table.marked</b> ). Only needed in a table of more than one dataset. Default = NA.

## Details

This function aims to report a) the top most similar reference group, if there's a clear frontrunner, b) A list of multiple similar groups if they have similar similarity, or c) 'No similarity', if there is none.

Each group is named according to the following rules. Testing for significant (smaller) differences with a one-directional Mann-Whitney U test on their rescaled ranks:

1. The first (as ranked by median rescaled rank) reference group is significantly more similar than the next: Report *first only*.
2. When comparing differences between groups stepwise ranked by median rescaled rank - no group is significantly different to its neighbour: Report *no similarity*
3. There's no significant differences in the stepwise comparisons of the first N reference groups - but there is a significant difference later on : Report *multiple group similarity*

There are some further heuristic caveats:

1. The distribution of top genes in the last (or only) match group is tested versus a theoretical random distribution around 0.5 (as reported in *pval\_vs\_random* column). If the distribution is not significantly above random (It is possible in edge cases where there is a skewed dataset and no/few matches), *no similarity* is reported. The significant *pval* column is left intact.
2. The comparison is repeated reciprocally - reference groups vs the query groups. This helps sensitivity of heterogenous query groups - and investigating the reciprocal matches can be informative in these cases. If a query group doesn't 'match' a reference group, but the reference group does match that query group - it is reported in the group label in brackets. e.g. *c1:th\_lymphocytes(tc\_lymphocytes)*. Its even possible if there was no match (and *pval* = NA) e.g. *emphc2:(tc\_lymphocytes)*

The similarity is formatted into a group label. Where there are multiple similar groups, they're listed from most to least similar by their median ranks.

For instance, a query dataset of clusters c1, c2, c3 and c4 againsts a cell-type labelled reference dataset might get names like: E.g.

- c1:macrophage
- c2:endothelialmesodermal
- c3:no\_similarity
- c4:mesodermal(endothelial)

Function `make_ref_similarity_names` is a convenience wrapper function for `make_ref_similarity_names_from_marked`. It accepts two 'de\_table' outputs of function `contrast_each_group_to_the_rest` to compare and handles running `get_the_up_genes_for_all_possible_groups`. Sister function `make_ref_similarity_names_from_marked` may (rarely) be of use if the **de\_table.marked** object has already been created, or if reciprocal tests are not wanted.

## Value

A table of automagically-generated labels for each query group, given their similarity to reference groups.

The columns in this table:

- **test\_group** : Query group e.g. "c1"
- **shortlab** : The cluster label described above e.g. "c1:macrophage"
- **pval** : If there is a similarity flagged, this is the P-value from a Mann-Whitney U test from the last 'matched' group to the adjacent 'non-matched' group. Ie. If only one label in shortlab, this will be the first of the stepped\_pvals, if there are 2, it will be the second. If there is 'no\_similarity' this will be NA (Because there is no confidence in what is the most appropriate of the all non-significant stepped pvalues.).
- **stepped\_pvals** : P-values from Mann-Whitney U tests across adjacent pairs of reference groups ordered from most to least similar (ascending median rank). ie. 1st-2nd most similar first, 2nd-3rd, 3rd-4th e.t.c. The last value will always be NA (no more reference group). e.g. refA:8.44e-10,refB:2.37e-06,refC:0.000818,refD:0.435,refE:0.245,refF:NA
- **pval\_to\_random** : P-value of test of median rank (of last matched reference group) < random, from binomial test on top gene ranks (being < 0.5).
- **matches** : List of all reference groups that 'match', as described, except it also includes (rare) examples where pval\_to\_random is not significant. "|" delimited.
- **reciprocal\_matches** : List of all reference groups that flagged test group as a match when direction of comparison is reversed. (significant pval and pval\_to\_random). "|" delimited.
- **similar\_non\_match**: This column lists any reference groups outside of shortlab that are not significantly different to a reported match group. Limited by `num_steps`, and will never find anything if `num_steps==1`. "|" delimited. Usually NA.
- **similar\_non\_match\_detail** : P-values for any details about similar\_non\_match results. These p-values will always be non-significant. E.g. "A > C (p=0.0214,n.s)". "|" delimited. Usually NA.
- **differences\_within** : This feild lists any pairs of reference groups in shortlab that are significantly different. "|" delimited. Usually NA.

**Functions**

- `make_ref_similarity_names_using_marked`: Construct some sensible cluster labels, but using a premade marked table.

**See Also**

[contrast\\_each\\_group\\_to\\_the\\_rest](#) For preparing `de_table` input

[get\\_the\\_up\\_genes\\_for\\_all\\_possible\\_groups](#) To prepare the `de_table.ref.marked` input.

**Examples**

```
# Make input
# de_table.demo_query <- contrast_each_group_to_the_rest(demo_query_se, "demo_query")
# de_table.demo_ref <- contrast_each_group_to_the_rest(demo_ref_se, "demo_ref")

make_ref_similarity_names(de_table.demo_query, de_table.demo_ref)
make_ref_similarity_names(de_table.demo_query, de_table.demo_ref, num_steps=3)
make_ref_similarity_names(de_table.demo_query, de_table.demo_ref, num_steps=NA)

# Make input
# de_table.demo_query <- contrast_each_group_to_the_rest(demo_query_se, "demo_query")
# de_table.demo_ref <- contrast_each_group_to_the_rest(demo_ref_se, "demo_ref")

de_table.marked.query_vs_ref <- get_the_up_genes_for_all_possible_groups(
  de_table.demo_query, de_table.demo_ref)
de_table.marked.reiprocal <- get_the_up_genes_for_all_possible_groups(
  de_table.demo_ref, de_table.demo_query)

make_ref_similarity_names_using_marked(de_table.marked.query_vs_ref,
  de_table.marked.reiprocal)

make_ref_similarity_names_using_marked(de_table.marked.query_vs_ref)
```

---

```
make_ref_similarity_names_for_group
  make_ref_similarity_names_for_group
```

---

**Description**

Internal function, called by `make_ref_similarity_names_using_marked` for each group.

**Usage**

```
make_ref_similarity_names_for_group(the_test_group, mwtest_res_table,
  de_table.ref.marked, reciprocal_matches = NA, the_test_dataset,
  the_ref_dataset, the_pval)
```

**Arguments**

the_test_group	Query group to make name for
mwtest_res_table	Mann-whitney test results as constructed in <a href="#">make_ref_similarity_names_using_marked</a>
de_table.ref.marked	The output of <a href="#">get_the_up_genes_for_all_possible_groups</a> for the contrast of interest.
reciprocal_matches	Simplified table of reciprocal matches prepared within <a href="#">make_ref_similarity_names_using_marked</a> . If omitted no reciprocal matching done. Default = NA.
the_test_dataset	A short meaningful name for the experiment. (Should match <i>test_dataset</i> column in <b>de_table.marked</b> )
the_ref_dataset	A short meaningful name for the experiment. (Should match <i>dataset</i> column in <b>de_table.marked</b> )
the_pval	pval as per <a href="#">make_ref_similarity_names_using_marked</a>

**Value**

A tibble with just one group's labelling information, as per [make\\_ref\\_similarity\\_names\\_using\\_marked](#)

**See Also**

[make\\_ref\\_similarity\\_names\\_using\\_marked](#) Only place that uses this function, details there.

---

run\_pair\_test\_stats    *run\_pair\_test\_stats*

---

**Description**

Internal function to compare the distribution of a query datasets 'top' genes between two different reference datasete groups with a Mann–Whitney U test. One directional test if groupA median < group B.

**Usage**

```
run_pair_test_stats(de_table.ref.marked, the_test_group, groupA, groupB,
  enforceAgtB = TRUE)
```



**Arguments**

de_table.ref.marked	The output of <a href="#">get_the_up_genes_for_all_possible_groups</a> for the contrast of interest.
the_test_group	Name of the test group in query dataset.
groupA	One of the reference group names
groupB	Another of the reference group names
enforceAgtB	Do a one tailed test of A 'less' B (more similar)? Or two-tailed. Default = TRUE.

**Details**

For use by [make\\_ref\\_similarity\\_names\\_using\\_marked](#)

**Value**

A tibble of wilcox / man-whitneyU test results for this contrast.

**See Also**

[make\\_ref\\_similarity\\_names\\_using\\_marked](#)

---

subset\_cells\_by\_group *subset\_cells\_by\_group*

---

**Description**

Utility function to randomly subset very large datasets (that use too much memory). Specify a maximum number of cells to keep per group and use the subsetted version to analysis.

**Usage**

```
subset_cells_by_group(dataset_se, n.group = 1000)
```

**Arguments**

dataset_se	Summarised experiment object containing count data. Also requires 'ID' and 'group' to be set within the cell information.
n.group	How many cells to keep for each group. Default = 1000

## Details

The resulting differential expression table *de\_table* will have reduced statistical power. But as long as enough cells are left to reasonably accurately calculate differential expression between groups this should be enough for *celref* to work with.

Also, this function will lose proportionality of groups (there'll be *n.groups* or less of each). Consider using the *n.group/n.other* parameters in *contrast\_each\_group\_to\_the\_rest* or *contrast\_the\_group\_to\_the\_rest* - which subsets non-group cells independantly for each group. That may be more appropriate for tissue type samples which would have similar compositions of cells.

So this function is intended for use when either; the proportionality isn't relevant (e.g. FACs purified cell populations), or, the data is just too big to work with otherwise.

Cells are randomly sampled, so set the random seed (with *set.seed()*) for consistant results across runs.

## Value

*dataset\_se* A hopefully more managably subsetting version of the inputted **dataset\_se**.

## See Also

[contrast\\_each\\_group\\_to\\_the\\_rest](#) For alternative method of subsetting cells proportionally.

## Examples

```
dataset_se.30pergroup <- subset_cells_by_group(demo_query_se, n.group=30)
```

---

```
subset_se_cells_for_group_test
      subset_se_cells_for_group_test
```

---

## Description

This function for use by [contrast\\_each\\_group\\_to\\_the\\_rest](#) downsamples cells from a summarizedExperiment (*dataset\_se*) - keeping **n.group** (or all if fewer) cells from the specified group, and **n.other** from the rest. This maintains the proportions of cells in the 'other' part of the differential expression comparisons.

## Usage

```
subset_se_cells_for_group_test(dataset_se, the_group, n.group = Inf,
  n.other = n.group * 5)
```

**Arguments**

dataset_se	Summarised experiment object containing count data. Also requires 'ID' and 'group' to be set within the cell information.
the_group	The group being subsetted for
n.group	How many cells to keep for each group. Default = Inf
n.other	How many cells to keep from everything not in the group. Default = <b>n.group</b> * 5

**Details**

Cells are randomly sampled, so set the random seed (with *set.seed()*) for consistant results across runs.

**Value**

*dataset\_se* A hopefully more managably subsetted version of the inputted **dataset\_se**

**See Also**

Calling function [contrast\\_each\\_group\\_to\\_the\\_rest](#)

[subset\\_cells\\_by\\_group](#) Exported function for subsetting each group independantly upfront. (For when this approach is still unmanageable)

---

trim\_small\_groups\_and\_low\_expression\_genes  
*trim\_small\_groups\_and\_low\_expression\_genes*

---

**Description**

Filter and return a SummarizedExperiment object (dataset\_se) by several metrics:

- Cells with at least **min\_lib\_size** total reads.
- Genes expressed in at least **min\_detected\_by\_min\_samples** cells, at a threshold of **min\_reads\_in\_sample** per cell.
- Remove entire groups (clusters) of cells where there are fewer than **min\_group\_membership** cells in that group.

**Usage**

```
trim_small_groups_and_low_expression_genes(dataset_se,
  min_lib_size = 1000, min_group_membership = 5,
  min_reads_in_sample = 1, min_detected_by_min_samples = 5)
```



# Index

- \* **Data loading functions**
  - contrast\_each\_group\_to\_the\_rest\_for\_norm\_ma\_with\_limma, 4
  - load\_dataset\_10Xdata, 23
  - load\_se\_from\_tables, 24
- \* **Data-loading functions**
  - load\_se\_from\_tables, 24
- \* **datasets**
  - de\_table.demo\_query, 12
  - de\_table.demo\_ref, 13
  - demo\_cell\_info\_table, 9
  - demo\_counts\_matrix, 9
  - demo\_gene\_info\_table, 10
  - demo\_microarray\_expr, 10
  - demo\_microarray\_sample\_sheet, 11
  - demo\_query\_se, 11
  - demo\_ref\_se, 12
- contrast\_each\_group\_to\_the\_rest, 2, 5, 6, 12, 13, 20–22, 27, 28, 31, 34, 35
- contrast\_each\_group\_to\_the\_rest\_for\_norm\_ma\_with\_limma, 4, 7, 24, 26
- contrast\_the\_group\_to\_the\_rest, 6
- contrast\_the\_group\_to\_the\_rest\_with\_limma\_for\_microarray, 7, 15
- convert\_se\_gene\_ids, 8, 23, 24
- de\_table.demo\_query, 12
- de\_table.demo\_ref, 13
- demo\_cell\_info\_table, 9
- demo\_counts\_matrix, 9
- demo\_gene\_info\_table, 10
- demo\_microarray\_expr, 10
- demo\_microarray\_sample\_sheet, 11
- demo\_query\_se, 11
- demo\_ref\_se, 12
- find\_within\_match\_differences, 13
- get\_counts\_index, 14
- get\_inner\_or\_outer\_ci, 14
- get\_within\_top\_table\_with\_ci, 15
- get\_matched\_stepped\_mwtest\_res\_table, 16
- get\_ranking\_and\_test\_results, 16, 16, 18, 19
- get\_rankstat\_table, 17
- get\_reciprocal\_matches, 18
- get\_stepped\_pvals\_str, 19
- get\_the\_up\_genes\_for\_all\_possible\_groups, 17, 18, 20, 22, 27, 29–33
- get\_the\_up\_genes\_for\_group, 20, 21
- get\_vs\_random\_pval, 22
- load\_dataset\_10Xdata, 5, 23, 26
- load\_se\_from\_files, 8
- load\_se\_from\_files
  - (load\_se\_from\_tables), 24
- load\_se\_from\_tables, 5, 24, 24
- make\_ranking\_violin\_plot, 26
- make\_ref\_similarity\_names, 28, 28
- make\_ref\_similarity\_names\_for\_group, 14, 16, 19, 22, 31
- make\_ref\_similarity\_names\_using\_marked, 17, 19, 32, 33
- make\_ref\_similarity\_names\_using\_marked
  - (make\_ref\_similarity\_names), 28
- run\_pair\_test\_stats, 32
- subset\_cells\_by\_group, 33, 35
- subset\_se\_cells\_for\_group\_test, 34
- trim\_small\_groups\_and\_low\_expression\_genes, 35