

# Package ‘methyICC’

October 17, 2024

**Title** Estimate the cell composition of whole blood in DNA methylation samples

**Version** 1.18.0

**Imports** Biobase, GenomicRanges, IRanges, S4Vectors, dplyr, magrittr, minfi, bsseq, quadprog, plyranges, stats, utils, bumpHunter, geneFilter, methods, IlluminaHumanMethylation450kmanifest, IlluminaHumanMethylation450kanno.ilmn12.hg19

**Depends** R (>= 3.6), FlowSorted.Blood.450k

**Suggests** rmarkdown, knitr, testthat (>= 2.1.0), BiocGenerics, BiocStyle, tidyr, ggplot2

**Description** A tool to estimate the cell composition of DNA methylation whole blood sample measured on any platform technology (microarray and sequencing).

**biocViews** Microarray, Sequencing, DNAMethylation, MethylationArray, MethylSeq, WholeGenome

**VignetteBuilder** knitr

**RoxygenNote** 6.1.1

**Encoding** UTF-8

**License** GPL-3

**BugReports** <https://github.com/stephaniehicks/methyICC/>

**URL** <https://github.com/stephaniehicks/methyICC/>

**git\_url** <https://git.bioconductor.org/packages/methyICC>

**git\_branch** RELEASE\_3\_19

**git\_last\_commit** 803b15d

**git\_last\_commit\_date** 2024-04-30

**Repository** Bioconductor 3.19

**Date/Publication** 2024-10-16

**Author** Stephanie C. Hicks [aut, cre] (<<https://orcid.org/0000-0002-7858-0231>>),  
Rafael Irizarry [aut] (<<https://orcid.org/0000-0002-3944-4309>>)

**Maintainer** Stephanie C. Hicks <shicks19@jhu.edu>

## Contents

.extract_raw_data . . . . .	2
.find_dmrs . . . . .	3
.initializeMLEs . . . . .	4
.initialize_theta . . . . .	5
.methylcc_engine . . . . .	5
.methylcc_estep . . . . .	6
.methylcc_mstep . . . . .	7
.pick_target_positions . . . . .	7
.preprocess_estimatecc . . . . .	8
.splitit . . . . .	8
.WFun . . . . .	9
cell_counts . . . . .	9
estimatecc . . . . .	10
estimatecc-class . . . . .	12
FlowSorted.Blood.450k.sub . . . . .	12
offMethRegions . . . . .	13
onMethRegions . . . . .	13
<b>Index</b>	<b>14</b>

---

.extract_raw_data	<i>Extract raw data</i>
-------------------	-------------------------

---

### Description

Extract the methylation values and GRanges objects

### Usage

```
.extract_raw_data(object)
```

### Arguments

object            an object can be a RGChannelSet, GenomicMethylSet or BSseq object

### Value

A list preprocessed objects from the RGChannelSet, GenomicMethylSet or BSseq objects to be used in .preprocess\_estimatecc().

---

.find\_dmrs *Finding differentially methylated regions*

---

### Description

This function uses the FlowSorted.Blood.450k whole blood reference methylomes with six cell types to identify differentially methylated regions.

### Usage

```
.find_dmrs(verbose = TRUE, gr_target = NULL, include_cpgs = FALSE,  
  include_dmrs = TRUE, num_cpgs = 50, num_regions = 50,  
  bumhunter_beta_cutoff = 0.2, dmr_up_cutoff = 0.5,  
  dmr_down_cutoff = 0.4, dmr_pval_cutoff = 1e-11,  
  cpg_pval_cutoff = 1e-08, cpg_up_dm_cutoff = 0,  
  cpg_down_dm_cutoff = 0, pairwise_comparison = FALSE,  
  mset_train_flow_sort = NULL)
```

### Arguments

verbose	TRUE/FALSE argument specifying if verbose messages should be returned or not. Default is TRUE.
gr_target	Default is NULL. However, the user can provide a GRanges object from the object in estimatecc. Before starting the procedure to find differentially methylated regions, the intersection of the gr_target and GRanges object from the reference methylomes (FlowSorted.Blood.450k).
include_cpgs	TRUE/FALSE. Should individual CpGs be returned. Default is FALSE.
include_dmrs	TRUE/FALSE. Should differentially methylated regions be returned. Default is TRUE. User can turn this to FALSE and search for only CpGs.
num_cpgs	The max number of CpGs to return for each cell type. Default is 50.
num_regions	The max number of DMRs to return for each cell type. Default is 50.
bumhunter_beta_cutoff	The cutoff threshold in bumhunter() in the bumhunter package.
dmr_up_cutoff	A cutoff threshold for identifying DMRs that are methylated in one cell type, but not in the other cell types.
dmr_down_cutoff	A cutoff threshold for identifying DMRs that are not methylated in one cell type, but methylated in the other cell types.
dmr_pval_cutoff	A cutoff threshold for the p-values when identifying DMRs that are methylated in one cell type, but not in the other cell types (or vice versa).
cpg_pval_cutoff	A cutoff threshold for the p-values when identifying differentially methylated CpGs that are methylated in one cell type, but not in the other cell types (or vice versa).

<code>cpg_up_dm_cutoff</code>	A cutoff threshold for identifying differentially methylated CpGs that are methylated in one cell type, but not in the other cell types.
<code>cpg_down_dm_cutoff</code>	A cutoff threshold for identifying differentially methylated CpGs that are not methylated in one cell type, but are methylated in the other cell types.
<code>pairwise_comparison</code>	TRUE/FAISE of whether all pairwise comparisons (e.g. methylated in Granulocytes and Monocytes, but not methylated in other cell types). Default if FALSE.
<code>mset_train_flow_sort</code>	Default is NULL. However, a user can provide a <code>MethylSet</code> object after processing the <code>FlowSorted.Blood.450k</code> dataset. The default normalization is <code>preprocessIllumina()</code> .

**Value**

A list of data frames and GRanges objects.

---

<code>.initializeMLEs</code>	<i>.initializeMLEs</i>
------------------------------	------------------------

---

**Description**

Helper functions to initialize MLEs in `estimatecc()`.

**Usage**

```
.initializeMLEs(init_param_method, n, K, Ys, Zs, a0init, a1init, sig0init,
  sig1init, tauinit)
```

**Arguments**

<code>init_param_method</code>	method to initialize parameter estimates. Choose between "random" (randomly sample) or "known_regions" (uses unmethylated and methylated regions that were identified based on Reinus et al. (2012) cell sorted data.). Defaults to "random".
<code>n</code>	Number of samples
<code>K</code>	Number of cell types
<code>Ys</code>	observed methylation levels in samples provided by user of dimension $R \times n$
<code>Zs</code>	Cell type specific regions of dimension $R \times K$
<code>a0init</code>	Default NULL. Initial mean methylation level in unmethylated regions
<code>a1init</code>	Default NULL. Initial mean methylation level in methylated regions
<code>sig0init</code>	Default NULL. Initial var methylation level in unmethylated regions
<code>sig1init</code>	Default NULL. Initial var methylation level in methylated regions
<code>tauinit</code>	Default NULL. Initial var for measurement error

**Value**

A list of MLE estimates to be used in `estimatecc()`.

---

*.initialize\_theta*      *.initialize\_theta*

---

**Description**

Creates a container with initial theta parameter estimates

**Usage**

```
.initialize_theta(n, K, alpha0 = NULL, alpha1 = NULL, sig0 = NULL,
  sig1 = NULL, tau = NULL)
```

**Arguments**

<code>n</code>	Number of samples
<code>K</code>	Number of cell types
<code>alpha0</code>	Default NULL. Initial mean methylation level in unmethylated regions
<code>alpha1</code>	Default NULL. Initial mean methylation level in methylated regions
<code>sig0</code>	Default NULL. Initial var methylation level in unmethylated regions
<code>sig1</code>	Default NULL. Initial var methylation level in methylated regions
<code>tau</code>	Default NULL. Initial var for measurement error

**Value**

A data frame with initial parameter estimates to be used in `.initializeMLEs()`.

---

*.methylcc\_engine*      *.methylcc\_engine*

---

**Description**

Helper function for `estimatecc`

**Usage**

```
.methylcc_engine(Ys, Zs, current_pi_mle, current_theta, epsilon, max_iter)
```

**Arguments**

Ys	observed methylation levels in samples provided by user of dimension R x n
Zs	Cell type specific regions of dimension R x K
current_pi_mle	cell composition MLE estimates of dimension K x n
current_theta	other parameter estimates in EM algorithm
epsilon	Add here.
max_iter	Add here.

**Value**

A list of MLE estimates that is used in estimatecc().

---

.methylcc_estep	<i>Expectation step</i>
-----------------	-------------------------

---

**Description**

Expectation step in EM algorithm for methylCC

**Usage**

```
.methylcc_estep(Ys, Zs, current_pi_mle, current_theta, meth_status = 0)
```

**Arguments**

Ys	observed methylation levels in samples provided by user of dimension R x n
Zs	Cell type specific regions of dimension R x K
current_pi_mle	cell composition MLE estimates of dimension K x n
current_theta	other parameter estimates in EM algorithm
meth_status	Indicator function corresponding to regions that are unmethylated (meth_status=0) or methylated (meth_status=1)

**Value**

List of expected value of the first two moments of the random effects (or the E-Step in the EM algorithm) used in .methylcc\_engine()

---

.methylcc\_mstep            *Maximization step*

---

**Description**

Maximization step in EM Algorithm for methylCC

**Usage**

```
.methylcc_mstep(Ys, Zs, current_pi_mle, current_theta, estep0, estep1)
```

**Arguments**

Ys	observed methylation levels in samples provided by user of dimension R x n
Zs	Cell type specific regions of dimension R x K
current_pi_mle	cell composition MLE estimates of dimension K x n
current_theta	other parameter estimates in EM algorithm
estep0	Results from expectation step for unmethylated regions
estep1	Results from expectation step for methylated regions

**Value**

A list of the updated MLEs (or the M-Step in the EM algorithm) used in .methylcc\_engine()

---

.pick\_target\_positions  
*Pick target positions*

---

**Description**

Pick probes from target data using the indices in dmp\_regions

**Usage**

```
.pick_target_positions(target_granges, target_object = NULL,  
                      target_cvg = NULL, dmp_regions)
```

**Arguments**

target_granges	add more here.
target_object	an optional argument which contains the meta-data for target_granges. If target_granges already contains the meta-data, do not need to supply target_object.
target_cvg	coverage reads for the target object
dmp_regions	differentially methylated regions

**Value**

A list of GRanges objects to be used in `.preprocess_estimatecc()`

---

```
.preprocess_estimatecc
      .preprocess_estimatecc
```

---

**Description**

This function preprocesses the data before the `estimatecc()` function

**Usage**

```
.preprocess_estimatecc(object, verbose = TRUE,
  init_param_method = "random",
  celltype_specific_dmrs = celltype_specific_dmrs)
```

**Arguments**

<code>object</code>	an object can be a <code>RGChannelSet</code> , <code>GenomicMethylSet</code> or <code>BSseq</code> object
<code>verbose</code>	TRUE/FALSE argument specifying if verbose messages should be returned or not. Default is TRUE.
<code>init_param_method</code>	method to initialize parameter estimates. Choose between "random" (randomly sample) or "known_regions" (uses unmethylated and methylated regions that were identified based on Reinus et al. (2012) cell sorted data.). Defaults to "random".
<code>celltype_specific_dmrs</code>	cell type specific differentially methylated regions (DMRs).

**Value**

A list of object to be used in `estimatecc`

---

```
.splitit      .splitit
```

---

**Description**

helper function to split along a variable

**Usage**

```
.splitit(x)
```



**Arguments**

x                    a vector

**Value**

A list to be used in find\_dmrs()

---

.WFun                    *Helper function to take the product of Z and cell composition estimates*

---

**Description**

Helper function which is the product of Z and pi\_mle

**Usage**

.WFun(Zs, pi\_mle)

**Arguments**

Zs                    Cell type specific regions of dimension R x K  
pi\_mle                cell composition MLE estimates

**Value**

A list of output after taking the product of Z and cell composition mle estimates to be used in .methylcc\_estep().

---

cell\_counts             *Generic function that returns the cell composition estimates*

---

**Description**

Given a estimatecc object, this function returns the cell composition estimates  
Accessors for the 'cell\_counts' slot of a estimatecc object.

**Usage**

cell\_counts(object)  
  
## S4 method for signature 'estimatecc'  
cell\_counts(object)

**Arguments**

object                an object of class estimatecc.

**Value**

Returns the cell composition estimates

**Examples**

```
# This is a reduced version of the FlowSorted.Blood.450k
# dataset available by using BiocManager::install("FlowSorted.Blood.450k"),
# but for purposes of the example, we use the smaller version
# and we set \code{demo=TRUE}. For any case outside of this example for
# the package, you should set \code{demo=FALSE} (the default).

dir <- system.file("data", package="methylCC")
files <- file.path(dir, "FlowSorted.Blood.450k.sub.RData")
if(file.exists(files)){
  load(file = files)

  set.seed(12345)
  est <- estimatecc(object = FlowSorted.Blood.450k.sub, demo = TRUE)
  cell_counts(est)
}
```

---

estimatecc

*Estimate cell composition from DNAm data*

---

**Description**

Estimate cell composition from DNAm data

**Usage**

```
estimatecc(object, find_dmrs_object = NULL, verbose = TRUE,
  epsilon = 0.01, max_iter = 100, take_intersection = FALSE,
  include_cpgs = FALSE, include_dmrs = TRUE,
  init_param_method = "random", a0init = NULL, a1init = NULL,
  sig0init = NULL, sig1init = NULL, tauinit = NULL, demo = FALSE)
```

**Arguments**

object	an object can be a RGChannelSet, GenomicMethylSet or BSseq object
find_dmrs_object	If the user would like to supply different differentially methylated regions, they can use the output from the <code>find_dmrs</code> function to supply different regions to <code>estimatecc</code> .
verbose	TRUE/FALSE argument specifying if verbose messages should be returned or not. Default is TRUE.
epsilon	Threshold for EM algorithm to check for convergence. Default is 0.01.

<code>max_iter</code>	Maximum number of iterations for EM algorithm. Default is 100 iterations.
<code>take_intersection</code>	TRUE/FALSE asking if only the CpGs included in object should be used to find DMRs. Default is FALSE.
<code>include_cpgs</code>	TRUE/FALSE. Should individual CpGs be returned. Default is FALSE.
<code>include_dmrs</code>	TRUE/FALSE. Should differentially methylated regions be returned. Default is TRUE.
<code>init_param_method</code>	method to initialize parameter estimates. Choose between "random" (randomly sample) or "known_regions" (uses unmethylated and methylated regions that were identified based on Reinus et al. (2012) cell sorted data.). Defaults to "random".
<code>a0init</code>	Default NULL. Initial mean methylation level in unmethylated regions
<code>a1init</code>	Default NULL. Initial mean methylation level in methylated regions
<code>sig0init</code>	Default NULL. Initial var methylation level in unmethylated regions
<code>sig1init</code>	Default NULL. Initial var methylation level in methylated regions
<code>tauinit</code>	Default NULL. Initial var for measurement error
<code>demo</code>	TRUE/FALSE. Should the function be used in demo mode to shorten examples in package. Defaults to FALSE.

### Value

A object of the class `estimatecc` that contains information about the cell composition estimation (in the `summary` slot) and the cell composition estimates themselves (in the `cell_counts` slot).

### Examples

```
# This is a reduced version of the FlowSorted.Blood.450k
# dataset available by using BiocManager::install("FlowSorted.Blood.450k"),
# but for purposes of the example, we use the smaller version
# and we set \code{demo=TRUE}. For any case outside of this example for
# the package, you should set \code{demo=FALSE} (the default).

dir <- system.file("data", package="methylCC")
files <- file.path(dir, "FlowSorted.Blood.450k.sub.RData")
if(file.exists(files)){
  load(file = files)

  set.seed(12345)
  est <- estimatecc(object = FlowSorted.Blood.450k.sub, demo = TRUE)
  cell_counts(est)
}
```

---

estimatecc-class      *the estimatecc class*

---

### Description

Objects of this class store all the values needed information to work with a estimatecc object

### Value

summary returns the summary information about the cell composition estimate procedure and cell\_counts  
 returns the cell composition estimates

### Slots

summary information about the samples and regions used to estimate cell composition  
 cell\_counts cell composition estimates

### Examples

```
# This is a reduced version of the FlowSorted.Blood.450k
# dataset available by using BiocManager::install("FlowSorted.Blood.450k"),
# but for purposes of the example, we use the smaller version
# and we set \code{demo=TRUE}. For any case outside of this example for
# the package, you should set \code{demo=FALSE} (the default).

dir <- system.file("data", package="methylCC")
files <- file.path(dir, "FlowSorted.Blood.450k.sub.RData")
if(file.exists(files)){
  load(file = files)

  set.seed(12345)
  est <- estimatecc(object = FlowSorted.Blood.450k.sub, demo = TRUE)
  cell_counts(est)
}
```

---

FlowSorted.Blood.450k.sub

*A reduced size of the FlowSorted.Blood.450k dataset*

---

### Description

A reduced size of the FlowSorted.Blood.450k dataset

The object was created using the script in /inst and located in the /data folder.

### Format

A RGset object with 2e5 rows (probes) and 6 columns (whole blood samples).

---

offMethRegions	<i>Unmethylated regions for all celltypes</i>
----------------	---

---

**Description**

This is the script used to create the offMethRegions data set. The purpose is use in the estimate\_cc() function.

The object was created using the script in /inst and located in the /data folder.

**Format**

add more here.

---

onMethRegions	<i>Methylated regions for all celltypes</i>
---------------	---

---

**Description**

This is the script used to create the onMethRegions data set. The purpose is use in the estimate\_cc() function.

The object was created using the script in /inst and located in the /data folder.

**Format**

add more here.

# Index

`.WFun`, 9  
`.extract_raw_data`, 2  
`.find_dmrs`, 3  
`.initializeMLEs`, 4  
`.initialize_theta`, 5  
`.methylcc_engine`, 5  
`.methylcc_estep`, 6  
`.methylcc_mstep`, 7  
`.pick_target_positions`, 7  
`.preprocess_estimatecc`, 8  
`.splitit`, 8

`cell_counts`, 9  
`cell_counts, estimatecc-method`  
    (`cell_counts`), 9

`estimatecc`, 10  
`estimatecc-class`, 12

`FlowSorted.Blood.450k.sub`, 12

`offMethRegions`, 13  
`onMethRegions`, 13