# Package 'scifer'

May 10, 2024

Type Package

**Title** Scifer: Single-Cell Immunoglobulin Filtering of Sanger Sequences **Version** 1.6.0

URL https://github.com/rodrigarc/scifer

#### BugReports https://github.com/rodrigarc/scifer/issues

**Description** Have you ever index sorted cells in a 96 or 384-well plate and then sequenced using Sanger sequencing? If so, you probably had some struggles to either check the electropherogram of each cell sequenced manually, or when you tried to identify which cell was sorted where after sequencing the plate. Scifer was developed to solve this issue by performing basic quality control of Sanger sequences and merging flow cytometry data from probed single-cell sorted B cells with sequencing data. scifer can export summary tables, 'fasta' files, electropherograms for visual inspection, and generate reports.

License MIT + file LICENSE

**Encoding** UTF-8

**biocViews** Preprocessing, QualityControl, SangerSeq, Sequencing, Software, FlowCytometry, SingleCell

**Imports** dplyr, rmarkdown, data.table, Biostrings, parallel, stats, plyr, knitr, ggplot2, gridExtra, DECIPHER, stringr, sangerseqR, kableExtra, tibble, scales, rlang, flowCore, methods

RoxygenNote 7.1.2

VignetteBuilder knitr

**Suggests** fs, BiocStyle, testthat (>= 3.0.0)

Config/testthat/edition 3

git\_url https://git.bioconductor.org/packages/scifer

git\_branch RELEASE\_3\_19

git\_last\_commit 87a7f10

git\_last\_commit\_date 2024-04-30

**Repository** Bioconductor 3.19

```
Date/Publication 2024-05-09
```

Author Rodrigo Arcoverde Cerveira [aut, cre, cph] (<https://orcid.org/0000-0002-1145-2534>),

```
Sebastian Ols [aut, dtc] (<https://orcid.org/0000-0001-9784-7176>),
```

Karin Loré [dtc, ths] (<https://orcid.org/0000-0001-7679-9494>)

Maintainer Rodrigo Arcoverde Cerveira <rodrigo.arcoverdi@gmail.com>

# Contents

df_to_fasta	2
fcs_plot	3
fcs_processing	4
quality_report	5
scifer	7
secondary_peaks	7
summarise_abi_file	8
summarise_quality	10
	12

## Index

df\_to\_fasta

Fasta file creation from dataframe columns and/or vectors.

#### Description

Fasta file creation from dataframe columns and/or vectors.

#### Usage

```
df_to_fasta(
   sequence_name,
   sequence_strings,
   file_name = "sequences.fasta",
   output_dir = NULL,
   save_fasta = TRUE
)
```

#### Arguments

sequence_name	Vector containing the names for each sequence, usually a column from a data.fram eg. df\$sequence_name	
sequence_string	S	
	Vector containing the DNA or RNA or AA sequences, usually a column from a data.frame. eg. df\$sequences	
file_name	Output file name to be saved as a fasta file	
output_dir	Output directory for the fasta file. Default is the working directory	

fcs\_plot

save\_fasta Logical argument, TRUE or FALSE, to indicate if fasta files should be saved. Default is TRUE.

#### Value

Saves a fasta file in the desired location, and also returns the stringset as BStringSet if saved as an object.

#### Examples

```
## Example with vectors, default for save_fasta ir TRUE
df_to_fasta(
    sequence_name = c("myseq1", "myseq2"),
    sequence_strings = c("GATCGAT", "ATCGTAG"),
    file_name = "my_sequences.fasta",
    output_dir = "",
    save_fasta = FALSE
)
```

```
fcs_plot
```

Plot flow data from index sorted cells

#### Description

Plot flow data from index sorted cells

#### Usage

```
fcs_plot(processed_fcs_list = NULL)
```

#### Arguments

```
processed_fcs_list
List generated using 'fcs_processing()' containing two data.frames
```

#### Value

Returns a ggplot object with a traditional flow density plot with the sorted cells and the selected thresholds for the two probes used in fcs\_processing().

#### Examples

fcs\_plot\_obj <- fcs\_plot(index\_sort\_data)</pre>

fcs\_processing Extract index sorting information from flow cytometry data

#### Description

Extract index sorting information from flow cytometry data

#### Usage

```
fcs_processing(
   folder_path = "test/test_dataset/fcs_files/",
   compensation = TRUE,
   plate_wells = 96,
   probe1 = "Pre.F",
   probe2 = "Post.F",
   posvalue_probe1 = 600,
   posvalue_probe2 = 400
)
```

#### Arguments

folder_path	Folder containing all the flow data index filex (.fcs). Files should be named with their sample/plate ID. eg. "E11_01.fcs"
compensation	Logical argument, TRUE or FALSE, to indicate if the index files were compen- sated or not. If TRUE, it will apply its compensation prior assigning specificity
plate_wells	Type of plate used for single-cell sorting. eg. "96" or "384"
probe1	Name of the first channel used for the probe or the custom name assigned to the channel in the index file. eg. "FSC.A", "FSC.H", "SSC.A", "DsRed.A", "PE.Cy5_5.A", "PE.Cy7.A", "BV650.A", "BV711.A", "Alexa.Fluor.700.A" "APC.Cy7.A", "PerCP.Cy5.5.A", "PerCP.Cy5.5.A", "APC.Cy7.A", "PerCP.Cy5.5.A", "APC.Cy7.A", "PerCP.Cy5.5.A", "BV711.A", "Alexa.Fluor.700.A" "APC.Cy7.A", "PerCP.Cy5.5.A", "PerCP.Cy5.5.A", "APC.Cy7.A", "PerCP.Cy5.5.A", "APC.Cy7.A", "PerCP.Cy5.5.A", "APC.Cy7.A", "PerCP.Cy5.5.A", "APC.Cy7.A", "PerCP.Cy5.5.A", "PerCP.Cy5.5.A", "APC.Cy7.A", "PerCP.Cy5.5.A", "APC.Cy7.A", "PerCP.Cy5.5.A", "APC.Cy7.A", "PerCP.Cy5.5.A", "PerCP.Cy5.5.A", "APC.Cy7.A", "PerCP.Cy5.5.A", "PE.Cy5.5.A", "APC.Cy7.A", "PerCP.Cy5.5.A", "PE.Cy5.5.A", "PE.Cy5.5.
probe2	Name of the second channel used for the probe or the custom name assigned to the channel in the index file. eg. "FSC.A", "FSC.H", "SSC.A", "DsRed.A", "PE.Cy5_5.A", "PE.Cy7.A", "BV650.A", "BV711.A", "Alexa.Fluor.700.A" "APC.Cy7.A", "PerCP.Cy5.5.A"
posvalue_probe	1
	Threshold used for fluorescence intensities to be considered as positive for the first probe
posvalue_probe	2
	Threshold used for fluorescence intensities to be considered as positive for the second probe

#### Value

If saved as an object, it returns a table containing all the processed flow cytometry index files, with their fluorescence intensities for each channel and well position.

#### quality\_report

#### Examples

quality\_report Generate general and individualized reports

#### Description

This function uses the other functions already described to create a HTML report based on sequencing quality. Besides the HTML reports, it also creates fasta files with all the sequences and individualized sequences, in addition to a csv file with the quality scores and sequences considered as good quality.

#### Usage

```
quality_report(
  folder_sequences = "path/to/sanger_sequences",
  outputfile = "QC_report.html",
  output_dir = "test/",
  processors = NULL,
  folder_path_fcs = NULL,
  plot_chromatogram = FALSE,
  raw_length = 400,
  trim_start = 50,
  trim_finish = 409,
  trimmed_mean_quality = 30,
  compensation = TRUE,
  plate_wells = "96",
  probe1 = "Pre.F",
  probe2 = "Post.F",
  posvalue_probe1 = 600,
 posvalue_probe2 = 400,
  cdr3_start = 100,
  cdr3_end = 150
)
```

#### Arguments

folder\_sequences

Full file directory for searching all ab1 files in a recursive search method. It includes all files in subfolders

outputfile	Output file name for the report generation
output_dir	Output directory for all the different output files that are generated during the report
processors	Number of processors to use, you can set to NULL to detect automatically all available processors
folder_path_fc	S
	Full file directory for searching all flow cytometry index files, files with .fcs extensions, in a recursive search method
plot_chromatog	ram
	Logical argument, TRUE or FALSE, to indicate if chromatograms should be plotted or not. Default is FALSE
raw_length	Minimum sequence length for filtering. Default is 400 for B cell receptors
trim_start	Starting position where the sequence should start to have a good base call accuracy. Default is 50 for B cell receptors
trim_finish	Last position where the sequence should have a good base call accuracy. Default is 409 for B cell receptors
trimmed_mean_q	uality
	Minimum Phred quality score expected for an average sequence. Default is 30, which means average of 99.9% base call accuracy
compensation	Logical argument, TRUE or FALSE, to indicate if the index files were compen- sated or not. If TRUE, it will apply its compensation prior assigning specificities
plate_wells	Type of plate used for single-cell sorting. eg. "96" or "384"
probe1	Name of the first channel used for the probe or the custom name assigned to the channel in the index file. eg. "FSC.A", "FSC.H", "SSC.A","DsRed.A", "PE.Cy5_5.A", "PE.Cy7.A","BV650.A", "BV711.A","Alexa.Fluor.700.A" "APC.Cy7.A","PerCP.Cy5.5.A",
probe2	Name of the second channel used for the probe or the custom name assigned to the channel in the index file. eg. "FSC.A", "FSC.H", "SSC.A", "DsRed.A", "PE.Cy5_5.A", "PE.Cy7.A", "BV650.A", "BV711.A", "Alexa.Fluor.700.A" "APC.Cy7.A", "PerCP.Cy5.5.A", "PE.Cy5.5.A", "PE.Cy5.5.A", "PE.Cy5.5.A", "PE.Cy5.5.A", "BV711.A", "Alexa.Fluor.700.A" "APC.Cy7.A", "PerCP.Cy5.5.A", "PE.Cy5.5.A", "PE.Cy5.5.A", "SSC.A", "SSC.A", "APC.Cy5.5.A", "PE.Cy5.5.A", "PE.Cy5.5.5.A", "PE.Cy5.5.5.5.A", "PE.Cy5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5
posvalue_probe	1
	Threshold used for fluorescence intensities to be considered as positive for the first probe
posvalue_probe2	
	Threshold used for fluorescence intensities to be considered as positive for the second probe
cdr3_start	Expected CDR3 starting position, that depends on your primer set. Default is position 100
cdr3_end	Expected CDR3 end position, that depends on your primer set. Default is position 150

# Value

Saves HTML reports, fasta files, csv files

scifer

#### Examples

scifer

Scifer: Single-Cell Immunoglobulin Filtering of Sanger Sequences

#### Description

Integrating index single-cell sorted files with Sanger sequencing per plates, combining single-cell sorted data (FACS) and specificity with Sanger sequencing information.

#### Author(s)

Rodrigo Arcoverde Cerveira <rodrigo.arcoverdi@gmail.com>

secondary\_peaks Check for secondary peaks in a sangerseq object

#### Description

This function finds and reports secondary peaks in a sangerseq object. It returns a table of secondary peaks, and optionally saves an annotated chromatogram and a csv file of the peak locations.

#### Usage

```
secondary_peaks(
    s,
    ratio = 0.33,
    output.folder = NA,
    file.prefix = "seq",
    processors = NULL
)
```

#### Arguments

S	a sangerseq s4 object from the sangerseqR package
ratio	Ratio of the height of a secondary peak to a primary peak. Secondary peaks higher than this ratio are annotated. Those below the ratio are not.
output.folder	If output.folder is NA (the default) no files are written. If a valid folder is pro- vided, two files are written to that folder: a .csv file of the secondary peaks (see description below) and a .pdf file of the chromatogram.
file.prefix	If output.folder is specified, this is the prefix which will be appended to the .csv and the .pdf file. The default is "seq".
processors	Number of processors to use, or NULL (the default) for all available processors

#### Value

A list with two elements:

- secondary.peaks: a data frame with one row per secondary peak above the ratio, and three columns: "position" is the position of the secondary peak relative to the primary sequence; "primary.basecall" is the primary base call; "secondary.basecall" is the secondary basecall.
- 2. read: the input sangerseq s4 object after having the makeBaseCalls() function from sangerseqR applied to it. This re-calls the primary and secondary bases in the sequence, and resets a lot of the internal data.

#### Examples

summarise\_abi\_file Create a summary of a single ABI sequencing file

## Description

Create a summary of a single ABI sequencing file

#### summarise\_abi\_file

#### Usage

```
summarise_abi_file(
  seq.abif,
  trim.cutoff = 1e-04,
  secondary.peak.ratio = 0.33,
  output.folder = NA,
  prefix = "seq",
  processors = NULL
)
```

#### Arguments

seq.abif	an abif.seq s4 object from the sangerseqR package
trim.cutoff	the cutoff at which you consider a base to be bad. This works on a logarithmic scale, such that if you want to consider a score of 10 as bad, you set cutoff to 0.1; for 20 set it at 0.01; for 30 set it at 0.001; for 40 set it at 0.0001; and so on. Contiguous runs of bases below this quality will be removed from the start and end of the sequence. Default is 0.0001.
secondary.peak.ratio	
	the ratio of the height of a secondary peak to a primary peak. Secondary peaks higher than this ratio are annotated. Those below the ratio are not.
output.folder	If output.folder is NA (the default) no files are written. If a valid folder is pro- vided, two files are written to that folder: a .csv file of the secondary peaks (see description below) and a .pdf file of the chromatogram.
prefix	If output.folder is specified, this is the prefix which will be appended to the .csv and the .pdf file. The default is "seq".
processors	Number of processors to use, or NULL (the default) for all available processors

#### Value

A numeric vector including:

- 1. raw.length: the length of the untrimmed sequence, note that this is the sequence after conversion to a sangerseq object, and then the recalling the bases with MakeBaseCalls from the sangerseqR package
- 2. trimmed.length: the length of the trimmed sequence, after trimming using trim.mott from this package and the parameter supplied to this function
- 3. trim.start: the start position of the good sequence, see trim.mott for more details
- 4. trim.finish: the finish position of the good sequence, see trim.mott for more details
- 5. raw.secondary.peaks: the number of secondary peaks in the raw sequence, called with the secondary.peaks function from this package and the parameters supplied to this function

- trimmed.secondary.peaks: the number of secondary peaks in the trimmed sequence, called with the secondary.peaks function from this package and the parameters supplied to this function
- 7. raw.mean.quality: the mean quality score of the raw sequence
- 8. trimmed.mean.quality: the mean quality score of the trimmed sequence
- 9. raw.min.quality: the minimum quality score of the raw sequence
- 10. trimmed.min.quality: the minimum quality score of the trimmed sequence

#### Examples

```
## Read abif using sangerseqR package
abi_seq <- sangerseqR::read.abif(
    system.file("/extdata/sorted_sangerseq/E18_C1/A1_3_IgG_Inner.ab1",
    package = "scifer")
)
## Summarise using summarise_abi_file()
summarise_abi_file(abi_seq)
```

summarise_quality	Generate a summary table containing quality measurements from
	sanger sequencing abi files

#### Description

Generate a summary table containing quality measurements from sanger sequencing abi files

#### Usage

```
summarise_quality(
  folder_sequences = "input_folder",
  trim.cutoff = 0.01,
  secondary.peak.ratio = 0.33,
  processors = NULL
)
```

#### Arguments

folder_sequenc	es
	Folder containing all the sanger sequencing abi/ab1 files on subfolders. Each subfolder should have have a identifiable name, matching name with fcs data. eg. "E18_01", "E23_06". The first characters of the ab1 file name should be the well location. eg. "A1-sequence1.ab1", "F8_sequence-igg.ab1"
trim.cutoff	Cutoff at which you consider a base to be bad. This works on a logarithmic scale, such that if you want to consider a score of 10 as bad, you set cutoff to 0.1; for 20 set it at 0.01; for 30 set it at 0.001; for 40 set it at 0.0001; and so on. Contiguous runs of bases below this quality will be removed from the start and end of the sequence. Given the high quality reads expected of most modern ABI sequencers, the defualt is 0.0001.
secondary.peak.ratio	
	Ratio of the height of a secondary peak to a primary peak. Secondary peaks higher than this ratio are annotated, while those below the ratio are not.
processors	Number of processors to use, or NULL (the default) for all available processors

# Value

List containing two items: \* summaries: contains all the summary results from the processed abi files, \* quality\_scores: contains all the Phred quality score for each position.

#### Examples

# Index

\* AIRR scifer,7 \* BCR scifer,7 \* **QC** scifer,7 \* TCR scifer,7 \* flowcytometry scifer,7 \* sanger scifer, 7\* sequencing scifer, 7 $\texttt{df\_to\_fasta, 2}$ fcs\_plot, 3 fcs\_processing, 4 quality\_report, 5 scifer,7 secondary\_peaks, 7 summarise\_abi\_file,8  $summarise_quality, 10$